

MONTHLY MICROCLIMATIC SUMMARY

SEPTEMBER 1966

ENVIRONMENTAL DATA BASE FOR REGIONAL STUDIES IN THE HUMID TROPICS

USATECOM Project No. 9-4-0013-01

US ARMY
TROPIC TEST CENTER
Fort Clayton, Canal Zone



Sponsored by


Advanced Research Projects Agency, ARPA Order No. 740

Army Research Office, OCRD, Project No. 2M025001A724 01

ARCHIVE COPY

F 38

BEST AVAILABLE COPY



Destroy this report when it is no longer needed. Do not return it to the originator.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The use of trade names in this report does not constitute an official endorsement or approval of such commercial hardware or software. This report may not be cited for purposes of advertisement.

Distribution of this document is unlimited

ENVIRONMENTAL DATA BASE FOR REGIONAL STUDIES IN THE HUMID TROPICS '

MONTHLY MICROCLIMATIC SUMMARY

SEPTEMBER 1966

Prepared by

Michael A. Fradel, Project Officer and Dr. Wilfried H. Portig, Meteorologist USATECOM Project No. 9-4-0013-01

This research was supported by the Advanced Research Projects Agency of the Department of Defense and by the Army Research Office, OCRD, Department of Army

Conducted by

US Army
Tropic Test Center
Fort Clayton, Canal Zone
with contractual services provided by
Weather Engineers of Panama Corp.

TABLE OF CONTENTS

	Page
Introduction	1
Figures 1. Location Map, Isthmus of Panama	4 5 6
Data Summary Sheets Monthly Means of Air Temperature by Hour	9 10 11
Monthly Ranges of Other Elements by Hour	. 13
Monthly Means of Wind Speed by Hour. Monthly Ranges of Wind Speed by Hour. Relative Frequencies of Wind Directions (46 meters, Albrook). Relative Frequencies of Wind Directions (4 meters, Albrook). Relative Frequencies of Wind Directions (46 meters, Chiva Chiva). Relative Frequencies of Wind Directions (4 meters, Chiva Chiva). Chiva Chiva).	15 16 17
Relative Frequencies of Wind Directions (4 meters, Rio Hato) Summary of Elements with Non-Hourly Frequencies of Observation	
Evaporation (Albrook) Precipitation (Manual gauge network, Albrook) Precipitation (Stem Flow, Albrook) WBGT (Chiva Chiva) Evaporation (Chiva Chiva)	

TABLE OF CONTENTS (cont'd)

Minimum Grass Temperature (Chiva Chiva)
Maximum Temperature (Albrook satellite)
Minimum Temperature (Albrook satellite)
Maximum Relative Humidity (Albrook satellite)
Minimum Relative Humidity (Albrook satellite)
Precipitation (Albrook satellite)
Maximum Temperature (Fort Kobbe satellite)
Minimum Temperature (Fort Kobbe satellite)
Maximum Relative Humidity (Fort Kobbe satellite)
Minimum Relative Humidity (Fort Kobbe satellite)
Precipitation (Fort Kobbe satellite)
Maximum Temperature (Fort Sherman satellite)
Minimum Temperature (Fort Sherman satellite)
Minimum Relative Humidity (Fort Sherman satellite)
Minimum Relative Humidity (Fort Sherman satellite)
Precipitation (Fort Sherman satellite)

MONTHLY MICROCLIMATIC SUMMARY

Introduction

Monthly microclimatic data summarized in this series of reports were collected by the US Army Tropic Test Center and the Weather Engineers of Panama Corporation under the project, Environmental Data Base for Regional Studies in the Humid Tropics. The project is sponsored by the Advanced Research Projects Agency of the Department of Defense and by the Army Research Office, Office of the Chief of Research and Development. It is an investigation of microclimatic, air chemistry, vegetation, soils, microbiological, and macrofaunal conditions at selected sites in the principal tropical environments of the Panama Canal Zone and the Rio Hato Military Reservation. The objective of the project is to assemble quantitative environmental data for RDT&E purposes.

Sites. Data summarized in this report were collected principally at the Albrook Forest and Chiva Chiva sites. Supplementary data were collected at four satellite sites. Figure 1 shows the site locations within the Isthmus of Panama. Geographic coordinates are shown below:

Albrook Fomest	09° 01'N, 79° 33'W
Chiva Chiva	09° 01'N, 79° 35'W
Ric Hato (satellite)	08° 24'N, 80° 06'W
Fort Kobbe (satellite)	08° 54'N, 79° 34'W
Fort Sherman (satellite)	09° 16'N, 79° 59'W
Albrook (satellite)	09° 00'N, 79° 33'W

The Chiva Chiva open site and the Albrook Forest site are paired for comparative study of environmental conditions in a tropical semideciduous forest and in a large clearing. Both are located in a region where the annual precipitation is approximately 80 inches and there is a pronounced dry season. The Kio Hato satellite site is located in an appreciably drier area (approximately 40 inches annually). The other satellite sites were located primarily for soil studies purposes. The Fort Sherman site receives much higher precipitation, with a less pronounced dry season. Albrook and Fort Kobbe have climatic regimes similar to the principal sites.

The Albrook and Chiva Chiva main sites are approximately four kilometers apart. Each has a 46 meter walk-up tower and an air-conditioned building to house the recording equipment and observers. Both sites are approximately 30 meters above sea level. The top of the forest canopy at the Albrook site is about 26.5 meters above the ground.

Instrumentation. A number of climatic elements are measured at the Albrook and Chiva Chiva sites, but observations at the Rio Hato site are limited to temperature, precipitation, relative humidity, and wind. Types of observations and frequencies are shown on Figure 2. The towers at the Albrook and Chiva Chiva sites are similarly oriented. Sensing equipment is mounted at several levels on the towers to provide measurements through the vertical profile. Additional instruments are emplaced in the immediate vicinity on or near the ground. All instrument exposures are durlicated at each site. Figures 3, 4, and 5 show the instrument array at these sites.

Data Reduction and Storage. All data, as applicable, are recorded at or reduced to each full hour and transposed to punch cards. These punch cards, together with all raw data, are stored in the Tropic Test Center Technical Library Annex.




FIGURE 1.

LOCATION MAP, ISTHMUS OF PANAMA

FIGURE 2. FREQUENCY OF OBSERVATIONS

n.

Frequency	Hourly*/Continuously Hourly*/Continuously Once Deily	Hourly (0600-1900 EST)	Hourly*/Continuously	Continuously	Once Daily	Continuously 4 Times Daily 4 Times Daily	Continuously Hourly**/Continuously
1,6.0	011	•	N	•	α,	міі	ด ด
26.5	011	1	N	ı	m		**
13.5	N I I	ı	N	•	•	1 1 1	**
ters)	011	ı	۵	1	1		
Height (meters) 2.0 4.0 8.0	001	ı	0	1	ı	1 1 1	ñν
He18	લ લ	1	0	1	1		* *
1.0		Ø	rł	(Vi	1	പനന.	1 1
0.5	વજા	1	Ø	ı	•	2 1 1	1 1
Sfc	N 14	•	ı	•	N		
# Element	Temperature: Dry Bulb Wet Bulb Grass Minimum	WBOT Index	Relative thumidity	Barometric Pressure	Evaporation	Precipitation: Recording Gage Manual Gage Stem Flow	Wind: Direction Speed

All sites
Albrook and Chiva Chiva
Albrook only
Chiva Chiva only
Main sites and Rio Hato

Observation made with sling psychrometer when recorders are inoperative.

^{**} Hourly.

[#] Instrument descriptions are contained in the Environmental Data Base semiannual reports.




FIGURE 3.

ALBROOK FOREST SITE, GENERALIZED PLOT




FIGURE 4.
CHIVA CHIVA OPEN, GENERALIZED PLOT




FIGURE 5.

INSTRUMENT LOCATION ON TOWERS

SUMMARY OF METEOROLOGICAL OBSERVATIONS

HOURLY DATA SEPTEMBER 1°66

<u>}</u> .	Max.	4.8		8.36	88.2	96.8	96.1	86.0	77.7 79.3 80.4 81.0 81.1 80.8 80.2 79.4 78.5 77.6 77.0 76.5 76.0 75.7 75.5 75.2 719 70.0 76.9 83.4	78.2 79.5 80.2 80.6 80.7 80.3 79.5 78.9 77.8 77.0 76.4 75.9 75.7 75.4 75.2 75.0 720 71.6 76.8 84.0
cmmar	Mean	77.		77.9	77.0	77.0	6.94	6.94	6.94	76.8
Monthly Summary	obs. Min. Mean Max.	70.6		9.69	69.8	8.69	69.5	70.0	70.0	71.6
Mor	No of	720		969	672	720	703	703	918	720
		75.5		74.7	74.8	74.7	74.5	74.4	75.2	75.0
	23	75.7		75.0	74.1	75.1	74.9	74.9	75.5	75.2
	22	0.92		75.3	74.4	75.4	75.4	75.4	75.7	75.4
	21	76.1		75.7	75.8	75.7	75.5	75.5	0.97	75.7
	20	76.5		76.1	76.2	75.1	75.9	75.9	76.5	75.9
	09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	81.8 82.0 82.2 82.3 82.2 81.0 80.4 79.7 78.4 77.0 76.8 76.5 76.1 76.0 75.7 75.5 720 70.6 77.7 98.4		81.2 82.6 83.5 84.2 83.4 82.4 82.1 81.3 79.1 78.1 76.5 76.1 75.7 75.3 75.0 74.7 696 69.6 77.9 90.8	78.8 80.5 81.7 82.2 82.2 81.6 80.1 79.6 78.6 77.6 76.7 76.2 75.8 74.4 74.1 74.8 672 69.8 77.0 88.2	78.6 80.2 81.5 81.9 81.8 81.1 80.2 79.4 78.3 77.3 76.5 75.1 75.7 75.4 75.1 74.7 720 69.8 77.0 86.8	79.0 80.3 81.4 81.9 82.0 81.3 80.1 79.1 78.1 77.1 76.3 75.9 75.5 75.4 74.9 74.5 703 69.5 76.9 96.1	78.8 80.1 81.2 31.6 81.7 81.0 79.9 79.0 78.1 77.1 76.3 75.9 75.5 75.4 74.9 74.4 703 70.0 76.9 86.0	77.0	76.4
	18	77.0		78.1	77.6	77.3	77.1	77.1	77.6	77.0
L.	17	78.4	time	79.1	78.6	78.3	78.1	78.1	78.5	77.8
Monthly Means of Air Temperature by Hour (°F)	16	79.7	This level was not instrumented for air temperature at this time	81.3	9.62	79.4	79.1	79.0	79.4	78.9
ature k	15	80.4	rature	82.1	80.1	80.2	80.1	79.9	80.2	79.5
Led me	14	81.0	tempa	82.4	81.6	81.1	81.3	81.0	80.8	80.3
(A)	13	82.2	or air	83.4	82.2	81.8	82.0	81.7	81.1	80.7
98718	12	82.3	nted 1	84.2	82.2	81.9	81.9	31.6	81.0	90.6
hly M	Ξ	82.2	s trum	83.5	81.7	81.5	81.4	81.2	80.4	80.2
Mon	2	82.0	not fr	82.6	80.5	80.2	80.3	80.1	79.3	79.5
	60	81.8	al was	81.2	78.8	78.6	79.0			
	07 08	80.3	ds lev	79.4	76.3	76.4	76.7	76.6	75.6	76.5
	1	78.6	F	75.6	74.4	74.1	74.3	74.0	74.2	74.3
	90	75.5		73.8	73.4	73.7	73.4	73.4	73.9	74.1
	03 04 05	74.6		73.9	73.4	73.8	73.6	73.6	74.0	74.1
	2	74.7		74.0	73.7	73.9	73.8	73.8	74.2	74.3
	03	74.9		74.1	73.8	74.1	74.0	74.0	74.4	74.5
	01 02	75.1		74.4	74.0	74.3	74.1	74.1	74.6	74.6
		46.0m 75.3 75.1 74.9 74.7 74.6 75.5 78.6 80.3		26.5m 74.5 74.4 74.1 74.0 73.9 73.8 75.6 79.4	.3.5m 74.2 74.0 73.8 73.7 73.4 73.4 74.4 76.3	8.0m 74.4 74.3 74.1 73.9 73.8 73.7 74.1 76.4	4.0m 74.3 74.1 74.0 73.8 73.6 73.4 74.3 76.7	2.0m 74.3 74.1 74.0 73.8 73.6 73.4 74.0 76.6	1.0m 74.8 74.6 74.4 74.2 74.0 73.9 74.2 75.6	0.5m 74.7 74.6 74.5 74.3 74.1 74.1 74.3 76.5
Exposure	Lavel	46.0m	28.5m	26.5m	13.5m	გ.ელ	4.0.m	2.0m	1.0m	0.5m
Å.	Site			(6	2) [2]	99.10	0k (I	ordlA	'	

	46.0m 74.8 74.6 74.4 74.1 74.2 73.9 75.2 78.0 80.1 81.4 82.0 81.9 82.0 80.8 79.9 79.1 77.8 77.3 76.5 76.3 76.1 75.8 75.5 75.3 708 68.9 77.4 87.2	28.5m	26.5m 74.8 74 5 74.4 74.3 74.2 74.0 75.6 78.6 80.7 82.4 83.1 83.1 82.1 8C.9 80.C 79.0 78.0 77.0 76.5 76.2 76.0 75.5 75.3 710 7.11 77.9 89.0	3.5m 74.9 74.7 74.5 74.4 74.4 74.1 75.5 78.7 81.2	8.0m	4.0m 73.9 73.7 73.4 73.3 73.2 73.0 75.9 78.9 81.4	2.0m 73.8 73.6 73.3 73.2 73.0 72.9 75.5 80.0 81.6 84.0 85.1 84.8 85.2 83.7 81.6 80.2 78.9 77.9 76.8 76.2 75.5 75.2 74.6 74.2 719 68.4 78.0 92.6	1.0m	0.5m 74.5 74.2 77.9 73.8 73.4 75.2 78.2 81.0 83.4 84.8 85.1 85.8 83.9 82.3 80.9 78.9 77.9 77.0 76.3 75.7 75.4 75.3 74.8 720 70.0 78.191.9
	74.6 74.4 74.1 74.0 73.9 75.2 78.0 80.1 8	_	9	74.7 74.5 74.4 74.4 74.1 75.5 79.7 81.2		73.7 73.4 73.3 73.2 73.0 75.9 78.9 81.4	73.6 73.3 73.2 73.0 72.9 75.5 80.0 81.6		74.2 71.9 73.8 73.8 73.4 75.2 78.2 81.0
	3 74.4 74.1 74.2 73.9 75.2 78.0 80.1 8	_	9	74.5 74.4 74.4 74.1 75.5 79.7 81.2		73.4 73.3 73.2 73.0 75.9 78.9 81.4	73.3 73.2 73.0 72.9 75.5 80.0 81.6		71.9 73.8 73.8 73.4 75.2 78.2 81.0
	1 74.1 74.0 73.9 75.2 78.0 80.1 8	_	9	5 74.4 74.4 74.1 75.5 79.7 81.2		1 73.3 73.2 73.0 75.9 78.9 81.4	3 73.2 73.0 72.9 75.5 80.0 81.6		73.8 73.8 73.4 75.2 78.2 81.0
_	1 74.0 73.9 75.2 78.0 80.1 8	_	9	4 74.4 74.1 75.5 79.7 81.2		3 73.2 73.0 75.9 78.9 81.4	2 73.0 72.9 75.5 80.0 81.6		8 73.8 73.4 75.2 78.2 81.0
-	0 73.9 75.2 78.0 80.1 8	_	9.	4 74.1 75.5 79.7 81.2		2 73.0 75.9 78.9 81.4	0 72.9 75.5 80.0 81.6		8 73.4 75.2 78.2 81.0
	9 75.2 78.0 80.1 8	_	9.	1 75.5 79.7 81.2		0 75.9 78.9 81.4	9 75.5 80.0 81.6		4 75.2 78.2 81.0
	2 78.0 80.1 8	_	9.	5 79.7 81.2		9 78.9 81.4	5 80.0 81.6		2 78.2 81.0
	0 80.1 8	evel was no	6 80.7	7 81.2	evel was	9 81.4	0 81.6		2 81.0
		98 70	7	2	ő	4	φ		0
	Τ.	×	82.	82.	not	83.	. T		83.
	4 82.	instru	4 83.	8 83.	instru	6 84.	0 85.		4 84.
	0 81.	menter	1 83.	81.2 82.8 83.7 83.5 83.8 82.7 81.4 80.1 78.9 78.1 77.0 76.5 76.0 75.9 75.4 75.3 711 70.0 78.1 91.6	mentec	81.4 83.6 84.7 84.4 85.0 83.6 81.7 80.3 79.0 77.7 76.5 75.9 75.4 75.2 74.8 74.4 719 68.5 77.9 92.8	1 84.		88.
	9 82.	d for a	1 83.	5 83.	for a	4 85.	8 85.		1 85.
	.08	ir tem.	1 82.	8 82.	ır tem	0 83.	3.		8 83.
	8 79.	Seratul	1 80.	7 81.	peratul	6 81.	7 81.		9 82.
	9 79.	re at ti	9 80.	. 80	2 1 to	7 80.	. 80		\$ 80.
	1 77.	un fir	.67 3	1 78.	ul tim	3 79.	2 78.		9 78.
_	8 77.	0	78.	9 78.	•	0 77.	9 77.	_	9 77.
	3 76.		77.	. 77.		76.	76.		77.
	2 76.		76.	76.		5 75.	8 76.		76.
	3 76.		5 76.	5 76.		9 75.	2 75.		3 75.
	1 75.		2 76.	0 75.		4 75.	5 75.		7 75.
	8 75.		0 75.	9 75.		2 74.	2 74.		4 75.
	5 75.		5 75.	4 75.		8 74.	6 74.		3 74.
	3 70		3 71(3 71		7	2 719		8 72(
	68.		<u>;</u>	70.	-	69	89		70.
-	.7.		1 77.	78		5 77.	4 78.		0 78.
	4.		68	1 91.		9 92.	0 92.		16.

1.5m 75.1 74.7 74.4 74.4 74.2 74.0 75.4 78.0 80.3 82.3 83.3 84.5 84.5 83.9 83.0 82.3 80.6 78.4 77.7 77.1 76.8 76.5 75.9 882 70.0 76.8 89.0 ात oraH

8

SEPTEMPER 1966

Monthly Summary	11 12 13 14 15 16 17 18 19 20 1 22 23 24	6.5 5.1 6.0 6.0 5.6 5.5		6.5 6.5 6.7 6.8 6.6 7.5	4.8 5.2 5.5 5.6 6.6 6.7	7.0 5.5 6.0 5.2 6.1 6.0	6.0 5.5 5.0 6.0 5.0 5.0	5.8 5.5 6.0 6.5 5.5 5.0	4.8 4.5 4.3 3.9 4.9 4.9	4.5 5.0 4.5 4.5 4.3 4.5
7 Hour	16 71. 18	6.8 12.0 7.5	this time	6.2 13.0 17.5 16.0 14.0 18.0 18.0 15.7 17.9 12.0 12.1	2.2 7.5 5.8	9.8 10,8 10.2 11.9 13.0 14.3 11.2 7.6 7.2	2.0 8.5 5.5	1.5 7.0 5.5	1.8 6.1 6.0	9.0 6.2 6.0
Monthly Ranges of Air Temperature by Hour (\circ F)	14 15	2.5 10.6 15.0 14.3 11.1 11.6 15.1 15.0 16.8 12.0	lavel was not instrumented for air temperature at this time	18.0 15.7 1	9.1 11.5 13.2 12.8 13.0 13.0 13.7 12.2	13.0 14.3 1	9.2 10.1 12.1 12.0 12.0	8.9 10.1 10.2 12.0 12.0 11.5	8.9 10.3 10.3 11.8	6.4 8.1 8.5 9.0
Nanges of Alr (oF)	12 13	11.11 11.6	nented for air	14.0 18.0	12.8 13.0	1 10.2 11.9	9.2 10.1	10.1 10.2	9.0	7.6 7.2 6.4
Monthly	10	6 15.0 14.3	an not instrum	0 17.5 16.0	1 11.5 13.2		5 9.3 10.3	1.8	8 8.4 8.3	6.7
	60 80 7	7.0 12.5 10.	Tris level w	9.0 16.2 13.	7.1 7.1 9.	7.8 9.3 8.1	4 7.2 7.5	6.9 7.6 7.5	7.7 7.9 7.8	5.4 5.7 5.5
	5 06 07	5.6 6.0 7.		7.5 7.4 9.	5.6 6.0 7.	7.3 7.5 7.	6.8 7.9 6.4	7.0 6.5 6.	7.8 7.4 7.	5.0 4.9 5.
	04 05	5.3		7.6	5.4	7.0	6.5	7.5	7.3	4.
	1 02 03	5.0 4.8 6.0		6.5 7.1 7.5	5.3 4.8 5.2	6.0 6.3 6.0	5.0 5.8 6.8	5.5 5.5 6.7	5.9 5.7 6.7	4.5 4.01 4.5
Exposure	Level 01	16.0m S.	28.5m	26.5m 6.	13.5m S.	8.0m 6.	4.0m	2.0m 5.	1.0m S.	0.5m 4.

 No monthly summary 	was computed for	the ranges.

46.0m @.2 9.1 9.9		6.5 6.9	7.3 7.1		7.0 7.0	7.0 7.5	
6.6		9 6.4	1 . 7.3		9.4	5 7.5	
6.6		6.4 7.0	7.3 6.6		7.0	7.5 7.5	,
7.7		7.0	6.8		9.0	8.0	
8.6	Ė	4.	0.0	7	0.6	0.6	
12.3	Is lev	14.1	10.0		15.0		
13.4	s level was not instrumented for air température at this time	15.0	13.4	s level was not instrumented for air temperature at this time	15.0 11.5 14.0 17.0 14.5 13.0 15.0 17.0 16.0 14.5	11.8	
15.0	not in	15.9	18.2	not in	14.0	14.9	
14.1	is trum	14.4	17.2	S trum	17.0	17.8	
12.2	petus	13.5	16.5	unted	14.5	15.8	:
13.0	or air	14.0	15.2	or air	13.0	14.0	
16.5	temp	16.0	19.3	temp	15.0	14.4	
15.8	reture	15.5	17.5	rature	17.0	17.7	
18.4	म स	15.1	16.1	at th	16.0	15.7	
15.8	s time	15.5	14.7	s time	14.5	14.0	
9.7		10.0	9.3		8.5	.5	,
12.3 13.4 15.0 14.1 12.2 13.0 16.5 15.8 18.4 15.8 9.7 5.4 6.0 4.8 4.7 5.2 7.5		14.1 15.0 15.9 14.4 14.5 14.0 16.0 15.5 15.1 15.5 10.0 6.5 5.5 6.0 6.0 7.0	10.0 13.4 18.2 17.2 16.5 15.2 19.3 17.5 16.1 14.7 9.3 6.7 5.7 6.2 5.9 6.7 6.8		8.5 6.0 5.0 5.5 4.5 7.0	13.8 11.8 14.8 17.8 15.8 14.0 14.4 17.7 15.7 14.0 8.5 6.0 ' 5' 5.0 5.5 8.0	,
6.0		5.5	5.7		5.0	ν.	
÷.		6.0	6.2		5.5	5.0	
4.7		6.0	e,	Married of Park Labor	4.5	5.5	
5,2		7.0	6.7		7.0	8.0	•
7.5	_	7.0	8.9		5.5	0.9	

전문 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.5 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0 9.5 11.0 9.5 7.0 6.5 5.0 5.0 4.5 4.0		
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0 9.5 11.0 9.5 7.0 6.5 5.0 5.0 4.5 4.0		
H 1.5m 4.5 5.0 5.0 5.0 5.0 5.5 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0 9.5 11.0 9.5 7.0 6.5 5.0 5.0 4.5		
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.5 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0 9.5 11.0 9.5 7.0 6.5 5.0 5.0		4.0
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.5 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0 9.5 11.0 9.5 7.0 6.5 5.0 5.0		4. S
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0 9.5 11.0 9.5 7.0 6.5		5.0
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.5 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0 9.5 11.0 9.5 7.0		5.0
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0 9.5 11.0 9.5 7.		6.8
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.5 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0 9.5 11.0		7.0
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0		9.8
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5 10.0		11.0
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.5 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9.5		9.5
Ha 1.5m 4.5 5.0 5.0 5.0 5.0 5.5 5.0 9.0 10.5 12.5 13.5 11.0 9.5 9		10.0
Hato 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0		9.8
Hato 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0		9.8
Hato 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0		11.0
Hato 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0		13. 9
Hato 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0		12.5
Hato 1.5m 4.5 5.0 5.0 5.0 5.0 5.0 5.0		10.
Hato 1.5m 4.5 5.0 5.0 5.0 5.5		
		5.6
		. S.
		. s.
		0 5.
	İ	.0 S
		5,
		E
		1.5

				-							1		į																	ĺ
Å	Exposure										2	fonth	y Mea	ns of 1	Pelatty (%)	Monthly Means of Pelative Humidity by Hour (%)	ldity	оу Но	5								24	Monthly Summary	emmo	>
Site	Level	10	02	03	04	0.5	90	07	0.8	60 1	10		1 1	2 1	3	12 13 14 15 16 17 18	5 1	9	17		19	20	23	22	20 21 , 22 23 24		No of	Min.	Mean Max	Max.
	46.0m		97.0 97.0 97.0 97.0 97.0 97.0	97.0	97.0	97.0	97.(96.	ெ	1.0 86.0		0.77	.0 76.	.0 77	.0 81	81.0 77.0 76.0 77.0 81.0 83.0 85.0 89.0 92.0 95.0 96.0 96.0 97.0 97.0 97.0	88 0.	.0 85	.0 92	.09	5.0	5.0 9	6.0.9	7.0 9	7.0 9	0.7	720	0.16 0.98		98.0
	28.5m							•	÷ +	8V#1 W	34 not	American	umente	o p	relativ	level was not instrumented for relative fumidity at this time	Idity &	t this	T S						-			-		
(9)	26.5m	97.0	97.0 97.0 97.0 97.0 97.0 97.0 95.0	97.0	97.0	97.0	97.	0 95.	On .	3.0 88.0	0 84.	0 81	.0 81	.0	.0 85	84.0 81.0 81.0 83.0 85.0 86.0 89.0 91.0 95.0 97.0 97.0 97.0 97.0 97.0 97.0 720	0.	.09	0.	6 0 .	6 0.2	6.0.2	7.0 9	7.0 9	7.0 9	0.7		57.0 92.0 100.0	92.0	00.00
118 18	13.5m	97.0	3.5m 97.0 97.0 97.0 97.0 97.0	97.0	97.0	97.0	97.	97.0 97.0	127	6.0 91.0		6 83	.0	.0 85	98 0.	80 83.0 83.0 85.0 86.0 89.0 92.0 92.0 95.0 96.0 96.0 96.0 96.0 97.0 97.0 719	.0 92	.0 92	6 0.	6	6.0	5.0 9	6.0.9	6.0	7.0 9	0.7		62.0 93.0 100.0	93.0	00.00
910])	8.0m								This le	avel w	as not	ing c			relativ	lavel was not instrumented for relative humidity at this time	- <u>i</u>	r this	ttme						~~					
400	4.0m		98.0 98.0 98.0 98.0 98.0 98.0 98.0	98.0	98.0	98.0	98.	98.	0 96.	0.16,0.31.0	0 87.	0 85	87.0 85.0 84.0 83.0	.0	.0 85	85.0 89.0 91.0 94.0 95.0 97.0 97.0 98.0 98.0 79.0 703	.0	.0 94	0.1	_6 _0	7.0 9	7.0	8.0 9	0.8	0 ·	0.8		65.0 94.0 100.0	94.0	00.0
ıdIA	2.0E	98.0	2.Cm 98.0 98.0 98.0 98.0 98.0 98.0	98.0	98.0	3.86	98.	0.86 0	96.0	6.0 93.0	0.89.0		98 0	.0 85	.0 87	87.0 86.0 85.0 87.0 90.0 92.0 94.0	.0 92	.0	96 0.1	6	96.0 97.0 97.0	6 0.7	7.0 9	8.0	6.0.8	97.0 98.0 98.0 98.0 703		64.0 94.0 100.0	94.0	00.0
	1.0m	97.0	97.0 97.0 97.0 97.0 97.0 97.0 98.01	97.0	97.0	97.(97.	98.	0 100	0.86 0.00	0 94.0	0.16 0.		89.0.68	68 س	89.0 90.0 92.0 93.0 94.0 95.0 96.0 97.0 97.0 97.0 719	.0 92	.0 93	.0 94	0	5. to 9(5.0 9	7.0 9	7.0 9	7.0 9	7.0		68.0 95.0 100.0	95.0	00.0
	0.5m	97.0	0.5m 97.0 97.0 97.0 96.0	97.0	9.6°.	96.0	0.96 0.76 0.96	96 0	on	13.0 93.0		92.0 91.0	.0 91	91.0 90.0	.0 91	91.0 91.	91.0 92.0 95.0	.0	.0 97	.0	.0 0.	6 0.7	7.9 9	7.0 9	7.0 9	97.0 97.0 97.0 97.0 97.0 97.0 97.0		76.0 95.0 100.0	95.0	00 0
					_		400		-				-	_	-			-			_		-	-						

54.0 89.0 IO.LO		00.0	00.0		00.0	00	000	000	_
99.0		56.0 89.0 100.0	57.0 90 100.0		52.0 88.0 100.0	51 0 88.0 100.0	44.0 89.0000	\$8.0 89.0100.0	-
0.		<u></u>	0.7		2.0	6	6.0	- - -	-
		- S	- 2				•		_
69		7	7		7	7	7	72	_
95.0		96.0	96.0		96.0	97.0	97.0	95.0	
95.0		95.0	0.96		96.0	97.6	97.0	95.0	
95.0		0.96	0.96		0.96	97.0	97.0	0.96	
94.0		95.0	95.0		0.95	97.0	3٠.٤	95.0	_
3.0		0.	5.0		5.0	5.0	0.9	5.0	-
83.0 77.0 73.0 74.0 75.0 78.0 82.0 84.0 85.0 88.0 93.0 93.0 94.0 95.0 95.0 95.0 693		83.0 79.0 76.0 76.0 75.0 79.0 87.0 86.0 87.0 91.0 94.0 94.0 95.0 96.0 95.0 96.0 718	93.0 83.0 78.0 75.0 75.0 75.0 79.0 84.0 86.2 89.0 91.0 94.0 95.0 95.0 96.0 96.0 715		82.0 79.6 74.0 71.0 72.0 71.0 74.0 80.0 82.0 86.0 91.0 94.0 95.0 96.0 96.0 96.0 719	81.0 76.0 73.0 70.0 70.0 70.0 73.0 78.0 81.0 88.0 92.0 95.0 95.0 97.0 97.0 97.0 719	81.0 74.0 70.0 72.0 72.0 78.0 81.0 65.0 88.0 94.0 96.0 96.0 97.0 97.0 97.0 710	89.0 85.0 80.0 78.0 77.0 76.0 79.0 80.0 83.0 88.0 92.0 94.0 95.0 96.0 95.0 95.0 95.0	_
9.0		6 0.1	6 0.1		6 0 .	6.0.	6 0.1	6 0 .	_
- 8	in a	16 0.	0. 	Πme	6 0.	0.	6	0.	
0 85	this -	0 87	98	S S	98	0	0 88	88	
0 84.	lity a	98.	98.	Lity a	0 82.	91.	65.	83.	
82.	numic	2.8	8.	Dumit.	8	78.		80.	_
78.0	#11ve	79.0	79.0	# CIVE	74.0	73.0	78.0	79.0	_
75.0	or rel	75.0	15.0	or rel	71.0	70.0	72.0	76.0	
74.0	nted	76.0	75.0	pate	72.0	70.0	72.0	77.0	
73.0	E CLUMB	0.92	75.0	Trum	71.0	0.07	0.07	78.0	_
77.0	tis level was not instrumented for relative bumidity at this time	0.62	78.0	is level was not instrumented for relative bumidity at this time	74.0	73.0	74.0	90.0	
33.0	80%	33.0	3.0	8	0.6	0.9	0.1	5.0	
93.0	level	90.08	3.0	level	2.0 7	1.0	91.0	0.6	
	E.T.			T.		_			_
. 0		6 0 .	0.		-0.	6.0.	60.	6 0.	_
96		96	.0		.0	.0	.0	6	_
96 0		96 0	0 97		0 97	0 98	0 97	0 95.	
96.		96.	97.		97.	97.	97,	96.	_
97.		97.(97.(97.(97.(97.(96.	
97.0		97.0	97.0		97.0	97.0	97.0	96.0	
96.0		96.0	97.0		96.0	98.0	97.0	0.96	
46.0m 96.0 97.0 97.J 96.0 96.0 96.0 95.0	28.5m	26.5m 96.0 97.0 97.0 96.0 96.0 96.0 95.0	13.5m 97.0 97.0 97.0 97.0 97.0 57.0 96.0	8.0m	4.0m 96.0 97.0 97.0 97.0 97.0 97.0 92.0	2.0m 98.0 97.0 97.0 97.0 98.0 97.0 94.0	1.0m 97.0 97.0 97.0 97.0 97.0 97.0 96.0	Q. 5m 96.0 96.0 96.0 96.0 95.0 95.0 95.0	_
		(9)15	ued() PA	СИТ	evido)		

000	7
94.0	1
63.0 94.0	
658 63.09	1
0 100 c	1
;	1
100.0	1
100 O	1
100.0	
100°0	
97.0	
91.0	
88.0	
86.0	
88.0	
83.0	
0 83.0	-
93.0 88.0 85.0 82.0 83.0 83.0 85.0 86.0 88.0 91.0 97.0 100.0 100.0 100.0 100.0	-
0 85.	-
0 88.	-
0 93.	-
η 0 gg.	$\frac{1}{2}$
Q. 0 10	$\frac{1}{1}$
0.0	-
00.00	1
000 0	
000	-
1.5m1	1
CIBH	1
OLS]

SEPTEMBER 1966

l 8	cposure										M	nthly	Range	s of Rela	elativ 6 }	Monthly Ranges of Relative Humidity by Hour (%)	dity by	Hour								Monthly Summary	Suma	nary
	Leve	10	02	03	04	0.5	90	07	90	60	10	Ξ	112	13	14	11 12 13 14 15 16 17 18 19	16	17	18	19		20 21 22	22	23	24			\dashv
 	46.0m		3.0 5.0 3.0 4.0	3.0	0.4		4.0	10.0	22.0	28.0	36.0	35.0	34.0	35.0	41.	4.0 4.0110.0 22.0 28.0 36.0 35.0 34.0 55.0 41.0 38.0 42.0 32.0 20.0	42.0	32.0	20.0		7.0	8.0 7.0 7.0 7.0	7.0	7.0 7.0	7.0			
	28.5m							⊢	This le	vel wa	s not	mst.m	nented	for re	lative	level was not instrumented for relative humidity at this time	hty at	this tir	- F									
	26.5ш	2.0	2.0	2.0	2.0 2.0	2.0	2.0	23.0	34.0	34.0	40.0	41.0	43.0	40.0	37.	2.0 2.6 23.0 34.0 34.0 40.0 41.0 43.0 40.0 37.0 35.0 39.0 31.0 23.0 7.0 5.0 3.0 5.0	39.0	31.0	23.0	7.0	5.0	3.0	5.0	3.0	3.0			
	13.5m	9.0	9.0 10.0	0.6	0.6	10.0	14.0	14.0	15.	0 27.0	33.0	35.0	37.0	38.0	34.	9.0 9.0 10.0 14.0 14.0 15.0 27.0 33.0 35.0 37.0 38.0 34.0 33.0 28.0 29.0 19.0 10.0 11.0 10.0	28.0	29.0	19.0	10.0	11.0	10.0		9.0 9.0 11.0	11.0			
	8.0m							H	This le	ew lav	s rot	nstru	mented	for re	Istive	level was not instrumented for relative humidity at this time	lity at	this th	ae									
	₽. 0 m	7.0	5.0	7.0	7.0 8.0		5.0 5.0	8.0		0 19.0	1 25.0	722.0	1.26.9	33.0	34.	9.0 19.0 25.0 22.0 26.9 33.0 34.0 34.0 27.0 17.0 13.0 11.0 9.0 9.0 9.0	27.0	17.0	13.0	11.0	9.0	9.0	0.6	5.0 . 5.0	5.0			
	2.0т	5.0	8.0		7.0 9.0	5.0	5.0		12.	0 14.0	1 21.6	23.0	1 28.0	31.0	34.	5.0 12.0 14.0 21.0 23.0 28.0 31.0 34.0 34.0 27.0 17.0 15.0 12.0	27.0	17.0	15.0	12.0		0.6 0.6 0.6	9.0	0.8	5.0			
	1.0m	0.3	4.0		4.0 4.0	4.0	4.0	4.		0 14.0	17.6	23.0	25.0	31.0	32.	3.0 14.0 17.0 23.0 25.0 31.0 32.0 31.0 32.0 20.0 13.0 10.0	32.0	20.0	13.0	0.0.		0.0 7.0 6.0	6.0	6.0	5.0			
	0.5m 10.0	10.0		8.0 10.0 10.0 10.0 10.0 12.0	10.0	10.0	10.0	12.0	_	0 13.0	12.0	14.0	14.0	20.0	21.	0.0 13.0 12.0 14.0 14.0 20.0 21.0 22.0 20.0 16.0 10.0	20.0	16.0	10.0	8.0		8.0 8.0 6.0	6.0	8.0 8.0	8.0			
_									_			_				_				_						_	_	-

Albrook (Forest site)

monthly summary	computed for	randes.
NO HO	WAS C	the ra

14.0		9.0			6.	6.0	÷	11.0
6.0		7.0	7.0		0.6	0.9	8.0	13.0
6.0		0.	7.0		10.0	8.0	••	11.0
10.0		0.0	7.0		9.0	0.8	8.0	13.0
8.0		0.01	7.0		11.0	11.0	7.0	0 14 0 16 0 21 0 24 0 30 32 0 35 0 35 0 14 0 10 0 13 0 13 0 13 0 11 0 13
12.0		8.0 10.0 6.0 6.0 7.0	0.6		17.0	14.0	10.0	10.0
0.82		8.0	0.0		17.0	0.0	22.0	0.41
0.0	ls tim	6. t 2	5.0	1 1 1	0.6	0.0	12.0	17.0
. 0.2	at G	0.0	0.6	- S	6.0	5.0	12.0 4	0
.0.	- Catpy	2.0	6.0	Midit	.0.	3.0	7.0	0
6.0	ive hu	3.0	7.0 3	- <u> </u>	3.0	0.0	2.0	
0 14.0 37.0 36.0 37.0 40.0 46.0 46.0 44.0 42.0 20.0 28.0 12.0 8.0 10.0 6.0 6.0 14.0	This level was not instrumented for relative humidity at this time	0 36.0 32.0 36.0 38.0 41.0 44.0 43.0 42.0 40.0 36.0 28.0	0 23.0 33.0 32.0 34.0 38.0 43.0 37.0 36.0 39.0 35.0 30.0 9.0 7.0 7.0 7.0 7.0	Tris level was not instrumented for relative humidity at this time	0 39.0 28.0 34.0 31.0 45.0 30.0 43.0 41.0 36.0 29.0 17.0 17.0 11.0 9.0 10.0 9.0	0 33.0 31.0 38.0 38.0 43.0 36.0 40.0 43.0 35.0 30.0 20.0 14.0 11.0 8.0 8.0	0 35.0 45.0 50.0 56.0 53.9 54.0 52.0 47.0 42.0 22.0 10.0 7.0 5.0 4.0	,
- 0.0	red to	0	0.	- 일	5.0	3.0	3.0	- P
₹ 0.7	- drama	· -	-0.	- duna	-0.1	.0°	5.0.5	-
5.0	ot ins	5.0	. 0.5 . 2	ot 185-	4.0	3.0	 	-6
	W.38	0.	-0-	- NO.	8.0	1.0	5.0	,
.0 37	level	.0 32	.0	le val	.0	.0	0:	,
	<u> </u>			를				-
0 12		0.8	9.0		7.0 19.	7.0 24	7.0 23.	α
6.0 7.0 8.0 9.0 12.		7.0 8	9.0		5.0 7	0.	4.0	-2
- ō_		6.0 7	0.6		<u>o</u>	9	•	-
- 2		9			5.0 7.0	= =	ن ن	0
• 		0.4	0.6		-5.	0 16.		
46.0m 7.0 6.0		0.4.0	0 6 0		0 7.0	5.0 10.0 16.0 11.0 6.0	7.0 5.0 5.6 4.0	
		0;	9.0		7.0	s.	7.	
16.0m	28.5m	26.5m	13.5m	8.0m	4.0m	2.0m	1.0m	

-	
	,
1.0	
2.0 1.0	
9.0 2.0 1.0 1.0	
0.	
0 2	
9.0	
15.0	
26.0	
0 26.0 28.0 28.0 37.0 56.0 28.0 30.0 26.0 15.	
0.8	
0.	
98	
37.	
28.0	
28.0	
26.0	
L	
0.	
18.0	
3.6	
1.0	
0.1	
2.0	
1.0	
0	
0.1	1
Sm	
-	
OIA OIBH	

SEPTEMBER 1966

4

	æx.	0.9	vii	۳. -	æ .	R2 5	00 00 00 00 00 00
ımary	ean	0 - 0	75.0 81.5	20 LF1	<u>a.</u>	3.6	31 1 45 0 14 1 52 1
ly Sum	in. M	74.0 75.0 76.0		65.0 75.5 81.5	.7	4.5	0.00 7.31 1.00 0.00 5.95 0.80 0.00 6.14 1.09 0.00 10.52 1.10
Monthly Summary	No of Min. Mean Max.		. 69.		69	9.	0000
	1	72(703	70.	72(72(551 720 720 720
	24	75.0	74.1	74.1	74.	.767	0.00 0.00 0.02 551 0.00 0.00 0.00 720 0.00 0.00 0.00 720 0.00 0.00 0.00 720
	23	75.0	74.5	74.5	74.7	.772	0.00
	22	75.0	74.8	74.9	74.9	.762	0.00
	2.1	75.0	75.0	75.6	75.1	.745	0.00
	20	75.0	75.2	75.2	75.4	.726	0.02 0.00 0.00 0.00
	19	75.0	75.5	75.6	75.9	.710	0.09
	18	75.0	0.97	76.1	76.3	.693	0.03 0.05 0.05 0.05 0.09 0.00 0.03 0.08 0.00 0.05 0.09 0.00
þ	17	75.0	76.6	76.6	76.7	.683	0.06
ž Ž	16	75.0	77.0	77.0	77.2	.687	0.05 0.10 0.16 0.24
ments	15	75.0	77.2	77.3	77.5	969.	0.30 0.17 0.05 0.06 0.03 0.05 0.02 0.01 0.67 0.15 0.10 0.05 0.03 0.09 0.00 0.00 0.00 0.07 0.16 0.16 0.04 0.03 0.08 0.00 0.00 0.03 0.15 0.15 0.24 0.05 0.05 0.05 0.09 0.00 0.00
គ្នា ia	14	75.0	. 9.77	6.77	0.82	.720	0.30 0.17 0.67 0.15 0.07 0.16 0.31 0.15
Monthly Meens ² of other Elements by Hour	11 12 13 14 15 16 17 18 19 20 2; 22 23 24	74.0 75.0 75.0 75.0 75.0 75.0 75.0 75.0 75	77.2 77.9 78.0 77.8 77.6 77.2 77.0 76.6 76.0 75.5 75.2 75.0 74.8 74.5 74.1	78.1	78.4	.736	0.05 0.15 0.23 0.25 0.30 0.17 0.05 0.06 0.03 0.05 0.02 0.01 0.00 0.03 0.02 551 0.07 0.07 0.08 0.33 0.67 0.15 0.10 0.05 0.05 0.09 0.00 0.00 0.07 0.00 0.70 0.11 0.03 0.18 0.46 0.07 0.16 0.16 0.04 0.03 0.08 0.00 0.07 0.00 0.07 720 0.25 0.15 0.27 0.34 0.31 0.15 0.24 0.05 0.05 0.09 0.00 0.00 0.00 0.00 0.00
leans ²	12	0.74	0.82	78.2	78.4	.767	0.23 0.18 0.18 0.27
th. M	=	74.0		78.1	78.1	780	0.15 0.07 0.03 0.15
Mon	10	74.0 74.0	7.2 7	77.5	. 9.7.	781	0.05 0.07 0.11 0.25
	60	0.5	77.1	77.3	. 9-92	.774 .781 .780 .767 .736 .720 .696 .687 .683 .693 .710 .726 .745 .762 .772 .767 720 .645 .735 .825	0.01
	90	74.0 75.0	75.8	75.8 77.3 77.5 78.1 78.2 78.1 77.9 77.3 77.0 76.6 76.1 75.6 75.2 75.6 74.9 74.5 74.1 703	74.9 76.6 77.6 78.1 78.4 78.4 78.0 77.5 77.2 76.3 75.9 75.4 75.1 74.9 74.7 74.4 720 69.7 75.1 80.8	.757	0.00
	07		-			.744	0.01 0.05 0.03 0.07
	90	74.0	73.0	73.0	73.4		0.00
	05	74.0	73.1	73.1	73.4	717	0.04 0.01 0.00 0.01 0.03 0.04 0.00 0.02 0.04 0.01 0.63 0.08
	04 .05	74.0	73.4	73.4	73.6	711.	0.00
	03	15.0	73.6	73.6	73.8	.723	
	02	5.0 7	3.7	73.7	73.8	739	0.00
	01	75.0 75.0 75.0 74.0 74.0 74.0 74.0	73.9 73.7 73.6 73.4 73.1 73.0 73.6	73.9 73.7 73.6 73.4 73.1 73.0 73.6	74.1 73.8 73.8 73.6 73.4 73.4 73.5	.752 717 717 . 723 . 727 . 727	0.04 0.01 0.01 0.06 0.01 0.01 0.09 0.02 0.00 0.09 0.02
,	-		Ê	F	Ê		
Exposure	Code	SŢ	¥ 4. 8 o.	8 0 €		86	1321
A	Site			(atia	18910T)	100k	dIA .

Note: Total (Mean) for Pl includes 6-hourly readings which are not included in hourly means.

10c. c	80.2	67.6 75.1 dl.3	68.3 75.6 82.9	.705 .794 .880	9.00 6.79 0.66	
81.0	74.9	75.1	75.0	794	6.79	
72.0	67.5	67.6	68.3	.705	00.0	
88.0 92.0 91.0 94.0 90.0 88.0 85.0 83.0 51.0 79.0 73.0 78.0 77.0 77.0 75.0 720 72.0 81.0	75.3 76.7 76.7 76.9 76.8 77.2 76.6 76.9 75.6 76.2 76.0 75.6 75.2 74.8 74.6 74.2 73.6 715 67.5 74.9	695		720		
76.0	73.6	73.8	73.9	.818	9.04	•
77.0	74.2	74.1	74.4	. 829	0.00	
77.0	74.6	74.6	74.6	. 824	0.00	
78.0	74.8	74.8	74.7	908	0.05	
73.0	75.2	75.2	75.2	.789	0.10	
0.67	75.6	75.8	75.7	.772	0.04	
51.0	76.0	75.6 76.1 77.4 77.6 77.3 77.6 77.1 76.4 75.8 76.3 76.2 75.8 75.2 74.8 74.6 74.1 75.8 695	75.9 77.4 79.5 79.0 79.1 79.4 78.7 77.5 76.5 76.4 76.2 75.7 75.2 74.7 74.6 74.4 73.9 720	.822 .835 .840 .838 .818 .791 .769 .752 .745 .743 .755 .772 .789 .806 .824 .829 .815	0.08 0.07 0.22 0.07 0.13 0.23 0.16 0.17 0.06 0.04 0.10 0.05 0.00 0.00 0.04 720	
83.0	76.2	76.3	76.4	.743	0.17	
85.0	75.6	75.8	76.5	.745	0.16	
88.0	ŷ	76.4	77.5	.752	0.23	
0.06	9.92	77.1	7.8.7	692.	0.13	
0.4	7.2	7.6	4.6	791	0.07	
1.0	8.9	7.3	79.1	818	0.22	
2.0	- 6.9	7.6 7	0.6	838	0.07	
. 0.8	76.7:3	7.4	9.5	840	0.08	
85.0	76.7	76.1	77.4	835	0.16 (
80.08	75.3	18.6	75.9	822	0.08 0.16	
	-			-		
5.0.5	72.4	72.4	72.5	788	0.02	
75.0 7	72.6	72.6	72.8	805 . 788 . 774 . 777 . 778 . 768 . 805	0.02	
15.0	72.6	72.8	72.9	.773	0.01	
75.0	72.9	72.9	73.2	. 774	0.01	
76.0	73.1	73.1	73.3	.788	0.07	
76.0 76.0 75.0 75.0 75.0 75.0 76.0	73.2 73.1 72.9 72.6 72.6 72.4 74.6	73.3 73.1 72.9 72.8 72.6 72.4 74.4	73.7 73.3 73.2 72.9 74.8 72.5 74.0	. 805	0.03 0.07 0.01 0.01 0.02 0.02 0.05	
\$1.	w8 (4.0m)	W8 (2.0m)	W8 (0.5n.)	ВР	PS	

¹ST - Soil surface temperature (oF) W8 - Wet bulb tempercture (oF) 8P - Barometric pressure (in. of Hg minus 29.0)

PS - Precipitation at 1.0 m in open area (in.)
Pl - Precipitation at 46.0 m, above canopy (in.)
P2 - Frecipitation under full canopy (in.)

P3 - Precipitation under drip canopy (in.)
P4 - Precipitation under open canopy (in.)

² Monthly means of precipitation are computed for precipitation days. Precipitation totals are substituted for the mean in the monthly summary.

SEPTEMBER 1966

Site	Exposure										ğ	4 7 7 7		5	T Tes	ements	Monthly Ranges* of other Elements by Hour	ont								Mont	ć han	E	Monthly Summary *
ŀ	Code1	15	0.2	03	04	0.5	90	07	90	60	10	11	12	13	14		15 16 17	17	1.8	19	20	20 21	22	23	24				
J ,	3T	2.0	2.0	2.0	1.0	1.0	1.0	1.0		1.0 1.0	1.0	1.0	1.0 1.0	1.0	2.0	2.0	2.0	2.0	2.0	2.0		2.0 2 0	2.0	2.0	2.0	···-			
<u>. 4.</u>	WB (4.0m)	5.5	12	0.9	9	6.9	7.0	9.9	5.9	4.2	4.7	6.2	5.3	4.	8.0	6.5	7.0	0.0	5.5	5.5 4.5	3.5	4. د.	5.5	4.9 4.2	4.2				
(2,	WB 2.0m)	5.5	0.9	0.9	6.3	6.9	6.9	6.4	5.3	5.3 4.4 5.0	6.0	5.7	5.	3.7	7.5	5.7 5.5 3.7 7.5 6.5 7.0 7.0 5.5 4.0 3.5	7.0	7.0	5.5	4.0	3.5	4.2	4.2 4.5 4.9 4.2	4.9	4.2				
0	WB	5.5	5.0	5.0 5.5 5.7		6.7	6.7	9.9	6.5		1.9 5.0	5.3	5.2	5.0	7.0	7.0	7.5	5.5	5.5 5.5	vi vi	4.0		4.0 4.3	4.5	4. 5				
•	ВР	.065 .075	.075	.070 .075	.075	085	_60° 090°	_60•	.100	.085	.115	080. 260.		.105	.120	020	.065	090.	.085	.085	090-	.050	.105 .120 .070 .065 .060 .085 .085 .060 .050 .055 .070	.070	.075			 -	
	F352	0.05	9.00 0.00 0.00 0.00 0.00 0.00 0.01 0.00	0.00	0.00	0.00	0.00 0.00 0.07 0.05	0.00	0.00	0.00 0.26 0.23 0.35	0.00	0.00 0.12 0.04	0.30 0.28 0.22 0.33	0.99 0.73 1.07	0.67 0.19 0.29 0.88	0.49 0.13 0.40 0.29 0.39 0.58 1.09	0.13 0.29 0.54 1.09	0.15 0.14 0.09 0.12	0.10 0.05 0.01 0.08	0.05 0.00 0.00	0.00	0.05 0.02 0.00 0.00 0.00 0.00 0.00 0.00 0.00	0.00	0.00	00.00				

 No monthly summary was computed for the ranges.

	0.4	5.5	2.5	0.	080	0.00
	3.0 4.0	7.0	7.5 5.5		. 52	<u>.</u> 0
	3.0	٠. د		4.9 5.0	.065 .075 .080	0
	0.4	3.5	4.0 4.5			 6
	0 4	λ. 	5.5	4.0 4.0	075	0. 00.
	9.0	3.8 4.5 3.5 4.5 7.0	4.0	4.2	00 .080 .120 .080 .075 .100 .109 .080 .075 .060 .075 .086 .075 .060	0.04 0.04 0.00 0.00 0.00 0.01 0.06 0.13 0.18 0.11 0.00 0.50 0.14 0.31 0.54 0.50 0.61 0.13 0.00 0.00 0.00 0.00 0.00
	0.0	5.8	6.5	6.0 4.2	075	.13
	14.0	7.0 6.0 5.5 6.5 7.0 8.0 7.8 5.8	0.0		. 090	
	16.0	8.0	8.0 8.0	8.9 8.2	. 075	0.30
	2.0 19.0 22.0 26.0 24.0 26.0 24.0 25.0 16.0 14.0	7.0	5.5 7.5 7.5	9.6	080	0.54
-	24.0	6.5	7.5	10.0	100	0.31
	26.0	5.5	5.5	6.9 10.0	.100	0.14
-	24.0	0.9	0.9	7.4	.075	05.0
	26.0	7.0	7.0 6.0	6.0 6.1 6.9 7.4	080	0.00
	22.0	5.5 6.0	5.5 5.0	6.1	.120	0.11
	19.0	5.5	\$.5	6.0	080	0.18
		6.3	6.0	4.0	.100	0.13
	5.0	\$.5	5.5	6.2	.090	0.06
	6.0	9.0	8.0	7.4	080	0.01
	6.0	7.0	8.0 7.0 7.0	7.0	060.	0.04
_	5.0	7.01 7.0	7.0	0.0	.975	0.00
	5.0			.5.5	.070	0.00
	4. 4.0 5.0 5.0 6.0 6.0	5.0 6.5	5.0 6.5	4.5 4.9 5.5 6.0 7.0 7.4	.070 .075 .070 .075 .090 .080 .090	0.0
	4	5.0	5.0	4.5	.070	0.04

ST - Soil surface temperature (9F)
W8 - Wet but temperature (9F)
BP - Barometric pressure (in, of Hg minus 29.0)

PS - Precipitation at 1.0 m in open area (in.)
P1 - Precipitation at 46.0 m, above canopy (in.)
P2 - Precipitation under full canopy (in.)

P3 - Precipitation, ander drip canopy (in.)
P4 - Precipitation under open canopy (in.)

2 Monthly ranges of precipitation are computed for precipitation days. Precipitation totals are substituted for the mean in the monthly summary.

SEPTEMBER 1966

ă	Exposure											Mont	Ny M	eans c	ans of Wind (miles/hr.)	1 Spee	Monthly Means of Wind Speed by Hour (miles/hr.)	Ä								M	Monthly Summary	Summ	בַּ
Site	Level	10	02	8	3	0.5	90	07	0.8	8 0.9		10 11	12	1	3 - 1.		12 13 14 15 16 17 18 19	17	1.8	19	20	2.1	22	23 24	24	No of obs.	-	Mean	Min. Mesn Max.
	46.0 m	1.0	1.0	1:0	1.0	2.0	1.0	0.1.0		0 2.	0 2	0 2.	τ ΄ 0	0 5	.0 5	0	2.0 2.0 2.0 2.0 4.0 5.0 5.0 4.6 2.0 3.0 1.0		0 1.0	2.0	1	2.0	2.0	2.0	2.0 2.0 2.0 2.0 1.0	719	0.0	2.0	28.0
	28.5 π:								Ē	s leve	l was	nd the	strume	nted	for win	eds p	This level was not instrumented for wind speed ht this time	- E				-							
(9	26.5m	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0 0	0	0	0 1.	0 2	.0 1	.0 1.	0, 0.0 1.0 1.0 1.0 2.0 1.0 1.0 1.0 1.0	-	0.0	3.0		1.0	0.0 1.0 0.0 0.0	0.0	0.0	720	0.0	1.0	7.0
112 18	13.5 m	0.0	0.0	0,0	0.0	0.0	0.0	0.0		0 0	0.0 0.0 0.0		0 0	0	0 0-	0 0	0.0 0.0 0.0 0.0 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	720	0,0	0.0	÷
Fore	8.0 m							-		s leve	Nas	nd In	strume	nted	for win	eds p	is level was not instrumented for wind speed at this time	. E											
) you	4.0 m	٥.٠	0.0	0.0	0.0	0.0	0.0	0.0	_	0.0 0.0	0.0 0.0		0.0	0.0 0.0	0.0 0.		0.0	0.0 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	720	0.0	0.0	2.0
Albre	2.0 m	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0 0	0.0 0.0 0.0		0.0	0.0	0.0 0.0		0.0 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	720	0.0	0.0	0.0
	1.0m									s leve	al was	nct in	strume	patu	for win	eds p	This level was not instrumented for wind speed at this time	is tim	40										
	0.5 m									s leve	al was	<u>त</u> स	strume	nted	for win	ed p	his level was not instrumented for wind speed at this time	18 Cm				1 -00							
				_	_	_	_		_							-		_	~	-									

4.0 5.0 6.0 7.0 7.0 8.0 7.0 7.0 7.0 5.0 5.0 5.0 4.0 3.0 3.0 3.0 720 0.0 5.0 20.0		2.0 3.6 4.0 5.0 5.0 6.0 6.0 5.0 4.0 4.0 2.0 1.0 2.0 1.0 1.0 1.0 1.9 712 0.0 2.0 22.0	0.0 2.0 15.0		0.0 3.0 14.0	1.0 2.0 2.0 3.0 3.0 4.6 4.0 3.0 2.0 2.0 1.0 0.0 0.0 1.0 0.0 0.0 0.0 712 0.0 1.0 10.0		
<u></u>		<u>:</u>	:		<u>.</u>	<u></u>		
720		71.2	712		718	712		
3.0		1.9	0.0		2.0	0:0		
3.0		1.0	0.0		2.0	0.0		
3.0		1.0	0.0		1.0	0.0		
₹.0		1.0	1.0 1.0 0.0 0.0		2.0	1.0		
5.0		2.0	1.0		2.0	0.0		
5.0		1.0	1.0		2.0	0.0		
5.0		2.0	1.0		5.0 3.0 2.0 2.0 2.0 1.0 2.0 2.0 718	0.1		
7.0	time time	4.0	2.0	time	5.0	2.0	tine	ume
7.0	t thus	4.0	2.0	t tal	5.0	2.0	t this	This level has not instrumented for wind speed at this time
7.0	peed a	5.0	3.0	e peed	0.9	3.0	e peed	e peed
7.0	a pui	9.0	. G.	Vind pr	0.9	4. 0 ·	vind B	is put/
9.0	d for v	0.9	5.0	d for	6.0	0.4	d for	d for v
7.0	mente	5.0	₽.0	meng.	3.0 4.0 5.0 6.0 6.0 6.0 6.0	3.0	Ben 8	mente
7.0	ing di	5.0	4.0	instr	5.0	3.0	fast	Institut
6.0	as not	4.0	3.0	- 50 S	4.0	2.0	2	es not
5.0	This level was not instrumented for wind speed at this time	а. С	2.0 2.0 3.0 4.0 4.0 5.0 4.0 3.0 2.0	This level was not instrumented for wind speed at this time	3.0	2.0	This level was not instrumented for wind speed at this time	evel %
4.0	This L	2.0	2.0	Tes J	2.0	1.0	This	This p
3.0		1.0	1.0		1.0	0.0		
3.0		1.0	0.0		2.0	0.0		
6.4		1.0 1.0	0.0		2.0	0.0		
3.0		1.0 1.0	0.0	-	2.9	0.0		
3.0 3.0 3.0 3.0		1.0	0.0		1.0	0.0		
3.0		1.0	0.0		2.0	0.0		
3.0		0.0	0.0		2.0	0.0		
46.0 m	28.5 m	25.5 m	13.5 m	a. 0 a	4°0 E	2.0 m	1.0m	0.5 m

	11.0
L	-
-	0 0.0 0.0 0.0 432 0.0
L	43
	0.0
	0.0
	0.0
	0.0
	0.0
	0.0
	0.0
	0.0
	1.0
	2.0
	2.0
	2.0 2.0 2.0
	-
	1.0 2.0
	1.0
	0
	0:
	0.0
	0.0
	0.0
	0.0
 _	0.0
	0.0
	0.0
	4.0 m
0:	Na Har

SEPTEMBER 1966

l š	Exposure	_									Σ	Monthly Ranges of Wind Speed by Hour (miles/ hr.)	Range	es of Wind	'ind Sp	heed by	Y Hour									Monthly Summary	y Sum	mory	s.
Ite	Site Level	0.1	02	03	0.4	0.5	90	07	0.8	60	10	=	12	13	1.4	15	16	17	1 8 1	19	20	21 ,	09 10 11 12 13 14 15 16 17 '9 19 20 21 22 23 24	1 24		No of Min.	n.	Mean Max.	Įš.
	46.0 m	0.9	7.0	6.0	98.0	14.0	8.0 14.0 15.0	5.0	7.0	7.0 12.0 10.0	10.0		14.0	28.0 1	15.0	18.0	13.0	0.0	9.0	0.0	0.0	3.0 5	9.0 14.6 28.0 15.0 18.6 13.0 20.0 9.0 10.0 10.0 13.0 9.0 9.0 9.0	.6 0	0				
	28.5 m								This	This level was not instrumented for wind speed at this time	as not	Ins EL	mentac	for w	ds put	end at	this t	ine				and the sec						,,,	
19	26.5 m	3.0	2.0	2.0	2.0	0.2	2.0	2.0	0.	4.0 3.0 3.0	3.0	6.0	0.4	0.9	0.9	4.0	5.0	7.0	3.0	3.0	0.0	7.0	6.0 4.0 6.0 6.0 4.0 5.0 7.0 3.0 3.0 6.0 7.0 3.0 1.0 1.0	0 1.	0				
ais i	13.5m	0.0	0.0	0.0	0.0	0)	0.0	1.0	.2.0	1.0	2.0	3.⊄	2.0	2.0	4.0	1.0	2.0	2.0	0.0	1.0	2.0	2.0	2.0 1.0 2.0 3.0 2.0 2.0 4.0 1.0 2.0 2.0 0.0 1.0 2.0 2.0 1.0 0.0 0.0	0 0	0				
saio	8.0 m								This	This level was not instrumented for wind speed at this time	as not	instru	mentec	for w	de pur	eed at	thist	me											-
NO.	4.0 B	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 1.0 1.0 2.0 0.0 2.0 0.0 1.0 0.0 1.9 0.0	1.0	2.0	0.0	2.0	0.0	1.0	0.0	1.0		0.0	0.0	0.0 0.0 1.0 0.0		0.0 0.0	0				
to M	2.0 m	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0 0.0		0.0	0.0	0.0 0.0 0.0		0.0 0.0 0.0 0.0	0.0	0.0		0.0	0.0	0.0 0.0 0.0 0.0	0.0 0.0	0.0	0				
	1.6 m	-							This	This leve! was not instrumented for wind speed at this time	as not	ins m	mente	for &	as put	eed at	this	, me							_				
	0.5m								This	This level was not instrumented for wind speed at this time	Du se.	instr	mente	d for w	Ind \$p	seed a	t this i	, me	-				-						
					_									-	-		_						_		_			_	

 No monthly summary 	was computed for	the rances.

.0 16.0 19.0 9.0 10.0 8.0	w Rose State	.0 15.0 22.0 7.0 6.0 4.0	.0 5.0 15.0 2.0 2.0 2.0		0 8.0 11.0 4.0 6.0 4.0	.0 3.0 10.0 1.0 3.0 1.0		
8.0 11.		7.0 7.	3.0 3,		9.0 6.0 6.0	3.0 2.		
10.0 10.0 9.0 20.0 15.0 17.0 11.0 13.0 10.0 15.0 8.0 11.0 16.0 19.0 9.0 10.0 8.0	This level was not instrumented for wind speed bt this time	8.0 7.0 15.0 13.0 18.0 11.0 15.0 12.0 15.0 7.0 7.0 15.0 22.0	7.0 7.0 7.0 13.0 12.0 15.0 9.0 7.0 7.0 19.0 3.0 3.0 5.0 15.0 2.0 2.0 2.0	This level was not instrumented for wind speed at this time	7.0 8.0 7.0 10.0 14.0 8.0 9.0 10.0 9.0	4.0 5.0 5.0 8.0 8.0 10.0 8.0 8.0 8.0 10.0 3.0 2.0 3.0 10.0	This level was not instrumented for wind speed at this time	
9.0 20.	was not ins	7.0 15.	7.0 13.	was not ins	8.0 7.	5.0 8.	was not ins	_
0.0 10.6	his level	8.0 8.0	7.0 7.0	his level	8.0 7.0	4.0 5.0	his level	_
6.0	. F	5.0	5.0	F	5.0	0.4		_
8.0		4.0	4.0		5.0	2.0		_
8.0 10.0		0.9 0	0 2.0		0.9 0	0 2.0		
7.0 8.		5.0 5.0	3.0 3.0		8.0 5.0	2.0 2.0		
8.0 7		7.0 5	3.0		6.0	2.0 2		_
9.0		2.0 7	1.0 3		 6	2.c 2		

ļ		
	0	
	0	l
	1.	
	1.	
	1.0	
	1.0	
	3.0	
	7.0 11.0 4.0 6.0 2.0 2.0 2.0 3.0 1.0	
	0.2	
	0	
Ì	0.	
	9 0	
	•	
	0 11.	
	.0 7.	
	9	
	3.0	
	3.0 5.0 3.0 1.0 3.0	
İ	3.0	
	5.0	
	3.0	
	3.0	
	1.0	
	0	
	0 2	
	0 1.	
	.0	
	4.0 E	
İ	No Hato	
		!

ALBROOK (Forest site) SEPTEMBER 1966

							Rel	Relative Frequencies	redner		of Wil	of Wind Directions by Hour at 46.0	ctions	by Hc	our at	46.0 m							İ	
i i	10	02	03	40	9.5	90	07	90	60	10	=	12	13	14	1.5	16	17	18	19	20	21	22	23	24
ッ	3.3				3.3		3.3	3.3	3.3	3.3	3.3		3.6	3.3	6.7	3.3	3.3	3.3			3.3	3.3		
NNE		6.7		3.3		3.3						3.6	3.6					3.3						
NE	3.3				6.7		3.3	3.3	3.3		6.7		3.6					3.3		3.3	3.3	3,3	5.7	6.7
ENE			3.3		3.3									3.3						•				
Ξ								3.3	3.3	3,3	3.3	3.6	3.6		3,3		6.7			3.3	3.3			
ESE												3.6	3.6									1		
3E									6.7	10.0	3.3	3.6	3.6	3.3	10.0		-	3.3						3.3
SSE										10.0	10.0	3.6	6.9	3.3	3,3									
S								6.7	6.7	3.3	6.7	23.5	30.3	20.0	20.02	23.3	3.3		-					
SSW													3.6	3.3										
» «												6.9		3.3	3.3		6.7							
WSW												3.6				3.3			•					
×	3.3	3.3	,	3.3	3.3		6.7	10.0	6.7	3.3	13.3	3.6	6.9	3.3	6.7	10.C	3.3	3.3	3.3	3.3	6.7	3.3	6.7	3,3
WNW	3.3	3.3	3.3	6.7	6.7	3,3	13.3		6.7	3.3		3.6	3.6	.6.7			6.7		6.7		3.3	3.3		
ΜM	16.7	16.7	10.0	10.0 13.3	10.0	23.3	13.3	6.7		13.3	3.3	3.6	3.6	6.7	13.3 16.7		23.3 10.0	-	20.02	6.7 20.0		13.3	16,7	13.3
MNN			6.7		3.3					3.3		3.6		3.3				6.7	6.7	10 0		3.3	6.7	3.3
CALN	CALM 70.0 70.0 73.3 73.3	70.0	73.3	73.3	63.3	70.0	63.3 70.0 60.0 66.7		63.3	46.7	46.7 50.0 33.6	33.6	26.6	36.7	33.3	43.3	46.7	5.7 6	3.3	75.7 63.3 73.3 60.0 70.0 63.3	0.00	0.07		0.04
* Not	* Note: Due to rounding, percentage totals do	to roun	ding,	percer	tage t	otals	do not	not equal 100%.	100%															

ALBROOK (Forest site) SEPTEMBER 1966

								Selativ	P Fred	encie	y jo	Relative Frequencies of Wind Directions by Hour at 4.0 m	ections	by HG	our at	0.4 E								
							•					(%)												
至/ 吉	01	02	03	94	05	90	07	0.8	60	10		12	13	14	15	16	17	18	19	20	21	22	23	
z																								
NNE																								
NE																						-	- 1	_
ENE									. 1 444		·-													
ы																		12.5					! 	
ESE									normalis u															
3S 1'		_							14	14.3 14.3			14.3											
															12.5									
S											14.3													
SSW																							- 1	
SW						_		_	-															}-
wsw							_	\dashv		-	[-	į	_
*							-	-	_	\dashv		_				12.5							ł	
WNW				_					_	\dashv		_					•	_	1				ı	
ΜN						-	-		-	\dashv		_												
WNW				-						_	_													
CALM 1100 0 100 0 100 0 100 0 100 0 100 0 100 0 100 0 ; 55.7	100.9	100.0	100.0	100	100	0 1 00	0 100	0 100	0 85	7 85.7		85.7 100.0		85.7 200.0 87.5		87.5	100.0	87.5	00.0	5 1100 0 1100 0 1100 0 1100 0 1100 0 1100	00 0	00.0	00	0
						1	1		1000															ŀ

CHIVA CHIVA (Open site) SEPTEMBER 1966

							Rel	ative	reque	Frequencies	of Wir	of Wind Directions by Hour at (%)	ctions	by Hc		46.0 m	c							
生	6	02	03	40	0.5	90	07	80	60	10	=	71	13	14	15	16	17 ·	18	19	0.7	21	22	23	24
		6.7	ئــــانـــ	0	il	JL	11.	6.7	6.7	16.7	3,3	6.7	6.7	6	6.7	13.3			16.7	13.3	16.7	16.7	13.3	10.0
NI NI E	,	,	-4		11 -	₩	11					3.3			10.0	6.7	3.3	3.3	10.0	13.3	3.3	3.5		3.3
יייי	9.3) E	3.3	;	_		3.3	3.3		3.3		6.7	3.3	3.3	3.3	3.3	3,3	6.7			3.3		3.3	10.0
F.N.F.			3.3	3.3	-	6.7	+-				3.3			3.3	3.3					3.3	3.3	3.3	6.7	3,3
3 4		3.3				┷.	10.0	10,0	3.3	3.3			1		3.3		3.3	10.0	6.7	3.3		10.0	3.3	
7.5.5			~	3	┵	┵			3.3			3.3	3.3				3.3	6.7	10.0	3.3	6.7	3.3	-	
18			3			3.3		3.,	3,3	3.3	13.3	10.0	13.3	3.3	3.3	13.3	10.3	3,3	6.7	3.3		3.3	3.3	3.3
7.5	3.3								3.3	3.3	6.7	6.7	6.7	13.3	13.3	13.3		3.3						
v			3.3	3,3				6.7	13.3	26.7	20.0	30.0	36.0	40.0	26.7	6.7	16.7	10.0						3.3
201k			<u> </u>	~			3.3								3.3	3.3			i i	3.3			3.3	
	3.3			3.3				6.7	3.3	6.7	6.7			6.7	3.3	6.7	3.3	3,3	 		3,3			
WSW		3.3			3.3	3.3				3.3							3.3			6.7			3.3	3.3
>	6.7	10.0	23.3	13.3	3.3	10.0	13.3	3.3	10.0	6.7	16.7	6.7	6.3	3,3	3,3	3.3	3.3	6.7	3.3	6.7	13.3		10.0	3.3
WNW	10.0	16.7	10.0	_	10.0	6.7	6.7	16.7	10.0	6.7	3.3	10.0	16.7	1.3	6,7	13,3	13.3	16.7	10.01	10.0	13.3	10.0	13.3	3.3
M.V.	30.0	23.3	10.0	23.3	26.7	30.0	26.7	6.7	20.0	16.7	10.0	10.0	10.0	13.3	3.3	13,3	26.7	6.7	23.3	23.3	13.3	23.3 2	23.3	26.7
MNN	20,0	23.3	16.7	16.7	13.3		-	20.0	5.7	3.3	.0	3.3		3,3	6.7	3,3	6.7	23.3	13.3	6.7	10.01	16.7	6.7	16.7
CALM 16.7	16.7	6.7	20.0	116.7	13,3	-	10.0	15.7	16.7		6.	3.3			5.3		3.3			3.3	13.3	10.0	10.0	13.3
1																								

• Note: Due to rounding, percentage totals do not equal 100%.

CHIVA CHIVA (Open site) SEPTEMBER 1966

											1	-			. —	-	-	-
	24	3.6	10.3	7.0 10.3			3.6	3.3		ე. ი				7.0	7.0	10.3	13.6	23.6
	23	3.6		7.0		7.0		3.6					10.4	3.6	10.4	3.3 10.4 10.3	7.0	37.0
	22		10.0	6.7	3.3		6.7	3.3						6.7	16.7 10.4	3.3	10.0 7.0 13.6	33.3 37.0 23.6
	17		3.3									3.3	3,3	10.0		0.0	3.3	
	20		6.7			3.3							5.7	6.7	13.3 16.7	6.7 10.0 10.0		26.7 50.0
	6.	7		3.3			3,3		3.3	3.3		3	3.3 6	8		7 10	16.7 10.0	3 : 26
	\square	7 6.7	10.0			0	٠ <u>٠</u>		3		_	3.	<u>-</u>	3 3.	113.		1.16	23.3
	18	6.7	6.7	3,3		20.0		6.7		6.7	3.3	3.3		3.3 13.3	13.3	0.01	3.3	3.3
	17	3,3			3,3	6.7	6.7	3.3	3.3	10.0	6.7	6.7			20.0 113.3 113.3	20.0	6.7	
0.4 E	9,	13.3	3.3				5.7	16.7	6.7	6.7	3.3	3.3	10.0	3.3	6.7	13.3 20.0 10.0	E.	3,3
ur at	15	13.3	3.3	3.3			3.3	13.3	6.7	23.3	3.3			10.0	6.7	3,3	10.0	
Relative Frequencies* of Wind Directions by Hour at 4.0 m (%)	14	6.7		6.7			3.3	6.7	10.0	3: .3 23.3	3.3		6.7	10.0	3.3	6.7	3.3	
tions	13	3.3		3,3	3,3	3,3		13.3	6.7	30.0			3.3	10.0	6.7	6.7	6.7	3.3
Direc		3.3	3.3	3.3	-	-	-	16.7	13.3	8		3,3		6.7	10.0	10.0	-	6.7 3
Wind I				3.3	3.3	3.3	-	10.01	ε.7 13	23.3 23.		6.7		3	6.7		6.7	-
s of	1	0	-	_	<u> </u>	<u> </u>	-	6				 	_	3 13.	6.7 6	20.0 16.7	3.3 6	3,3
encie	10	10.0		<u> </u>	_	6.7	_	<u>ب</u>	6.7	33.3	_	3.3	8	3.	<u> </u>	ı		L l
Frequ	60			_	_	6.7	3.3	3.3		16.7			3,3	10.0	6.7	23.3	6.7	20.0
ative	80	6.7	3.3	3,3			3.3	6.7		6.7				10.0	10.0	10.0	10.0	30.0
Rel	07	10.0		6.7	3.3		3.3	3,3	3.3	6.7			6.7	16.7	3,3	3,3		33.3
	90	3.3	6.7	6.7	3.3				3.3	Σ• Σ				10.0	3.3	20.0	3,3	36.7
	0.5	6 7	0.01	6.7	16.0		3.3							10.0	6.7	16.7	3.3	26.7
	04	10.0	6.7		6.7			-		3.3				30.0			0.01	CALM 23.3 33.3 40.0 30.0 26.7 36.7 3
	03	6.7 1	3.3	6.7		6.7		_	-		3.3	3.3	3.3	6.7	3.3	26.7 10.0 13.3	6.7 10.0	0.0
	02 (6.7	-	10.0	-	-	-	-		3,3		6.7		3.3	3.3	5.7/1	6.7	.3 14(
	-	<u> </u>	8	_	-	3	_	3					3	3.3	.,	_	3.3	.3 33
	10	6.7	3.3	13.3	_	3.3	_	3,3	_	6.7	_	=	3.3	3.	_	30.0	_	1 23.
	計	z	NNE	NE E	ENE	ш	ESE	SE	SSF	s	SSW	sw	wsw	>	www	NW	WWN	CALA

* Note: Due to rounding, percentage totals do not equal 100%,

RIO HATO SEPTEMBER 1966

							8	Relative Frequencies* of Wind Directions by Hour a. 4.0 m	Freque	ncies*	of Wi	nd Dire	ections	by Hc	our a.	4.0 m								
艺	10	02	03	04	0.5	98	02	80	60	10	11	12	13	14	15	91	1.2	18	19	20	21	22	23	24
z	#					5.5	Щ	#=		5.8		11.9		5.5	16.8			5.0	5.0	10.6	5.2			
NNE			5.3	5.3	11.5		_	5.8	9.9				5.5	5.5			5.1				5.2			
NE				┿																	5.2			
ENE																						5.2		
ш															5.5						1		+	
ESE										12.0	6.2	11.9	11.2		5.5	5.5							+	
SE				_			_		9.9	5.8	31.2	36.0	11.2		5.5	11,2						+	+	
SSE								_		18.0	12.5	5.8	22.3	28.4	16.8	16.8	10.5					+		
S					<u> </u>					12.0	19.0	18.0 28.2		39.6	11.2	5.5	10.5	-				-	-	
SSW					_	<u> </u>	L.	_						5.5	11.2	11.2	-							
SW																								
wsw							_				6.2		11.2	5.5									+	
*					_		5.5	5.8		5.8	6.2			5.5		5.5							\dashv	
WNW				5.3	5.3 11.5	5.5				5.8							5.0					1	-	
WW		5.0	5.3	_		5.5	11.2					5.8							5.0	\			5.1	
NNN					5.5	_		_	13.0		6.2		5.5					5.0	5.0	5.2			5.1	4.8
CALM 100.0 95.0	100.0	95.0	90.7	90.7 90.7	72.3	85.0	77.9	77.8	77.8 73.4	36.0	12.5	11.9	5.5	5.5	28.2	45.0	74.5	85.0	85.0	85.2	85.2	95.8	90.5	95.4
* Note: Die to minding perceptage totals do not equal 100%	P. S.	, and	2	100	1 4064) oles	2	leuna.	100%															

SEPTEMBER 1966

	Summary or Ele	ments with Non-hourly	Frequencies	of Observati	on .	
Site	Element, Units and Exposure	Description	Number of Obs.	Minimum Value	Mean or Total Value	Maximum Value
	WBGT Index ¹ (at 1.5 meters)	Index value Dry bulb temp. Wer bulb temp. Black bulb temp.	420 420 420 420	69.3 70.0 69.0 70.0	77.2 78.0 76.7 78.7	82.1 87.5 81.0 88.5
ist site)	Evaporation ³ (in. at 3 levels)	Piche (46.0 m) Piche (26.5 m) Piche (0.5 m)	30 30 28	0.000 0.000 0.000	4.785* 3.381* 0.367*	0.433 0.274 0.043
Albrook (Tousst	Precipitation from Raingauge Network ² (in. at 1.0 meters)	Gauge # 1 Gauge # 2 Gauge # 3 Gauge # 4 Gauge # 5 Gauge # 6 Gauge # 7 Gauge # 8	120 120 120 120 120 120 120 120	0.00 0.00 0.00 0.00 0.00 0.00 0.00	8.17* 9.19* 8.09* 6.70* 6.94* 6.93* d.30* 6.46*	1.76 1.72 1.62 1.11 1.28 0.95 1.44 1.09
	Stem Flow ² (in, at 2.0 meters)	Small tree N.edium tree Large tree	120 120 120	0.00 0.00 0.00	5.94* 32.59* 173.22*	1.25 15.42 68.97
en site}	WBGT Index ¹ (at 1.5 meters)	Index value Dry bulb temp. Wet bulb temp. Black bulb temp.	420 420 420 420	67.9 68.0 68.0 67.3	80.0 80.8 77.1 89.7	90.0 98.0 82.2 122.0
Chiva Chiva (Open site)	Evaporation ³ (in. at 0.5 meters)	Piche Pan	30 29	0.000	3.200* 4.034*	0.207 0.299
Chiva C	Minimum Grass temp ³ (^O F at grass tips)	None	30	69.0	72.0	75.0
Albrook **	Maximum temp. (°F at 1.5m) Mirimum temp. (°F at 1.5m) Maximum R.H. (% at 1.5m) Minimum R.H. (% at 1.5m) Precipitation ³ (in. at 1.0m)	In open area Under canopy	23 23 23 23 23 25 25	78.0 71.0 94.0 62.0 0.00 0.00	83.5 73.9 98.0 84.0 7.41+ 7.29+	87.0 76.5 100.0 100.0 1.22 1.47
Ft. Kobbo **	Maximum temp. (°F at 1.5m) Minimum temp. (°F at 1.5m) Maximum R.H. (% at 1.5m) Minimum R.H. (% at 1.5m) Precipitation ³ (in. at 1.0m)	In open area Under canopy	22 22 22 22 22 25 25	78.0 72.0 85.0 65.0 0.00	82.3 73.7 97.0 83.0 5.58* 2.87*	85.0 75.0 100.0 6.0 1.20
Ft. Sherman	Maximum temp. (°F at 1.5m) Minimum temp. (°F at 1.5m) Maximum R.H. (% at 1.5m) Minimum R.H. (% at 1.5m) Precipitation ³ (in. at 1.0m)	In open area Under canopy	26 26 26 26 27 27	76.5 70.5 98.0 70.0 0.00 0.00	80.7 74.2 99.0 88.0 12.45* 8.59*	84.0 76.0 100.0 99.0 1.74 1.46

^{1 -} Hourly observations between 0600 and 1900 hours inclusive
2 - Six hourly observations
3 - Daily observations

* Total Values ** Satellite

Security Classification

	NTROL DATA - R&		
(Seoutl's cleeelfication of title, body of abetract and indexis 1 ORIGINATING ACTIVITY (Corporate author)	ng annotation must be e		the overel! report le cleeeifled) RY SECURITY C LASSIFICATION
US Army Tropic Test Center			1
Fort Clayton, Canal Zone		2 0 OROUE	ASSIFIED
Toro oray ton, canar zone		Z D GROUP	
Monthly Microclimatic Summary, September Regional Studies in the Humid Tropics	er 1966: Envi	ronmenta	l Data Base for
4 OESCRIPTIVE NOTE'S (Type of report and inclusive dates)			
Data Summary, September 1966			
B AUTHOR(\$) (Leet name, first name, initial)			
6. REPORT DATE November 1965	74. FUTAL NO. OF F	PAGES	76. NO. OF REFS
SA. CONTRACT OR BRANT NO.	Se. ORIGINATOR'S R	EPORT NUM	BER(S)
A PROJEC. J. 2M025001A724-01			
• USATECOM NO. 9-4-0013-01	\$6. OTHER REPORT	NO(S) (Any	other numbers that may be assigned
<pre>a.Work Unit: USATTC #001</pre>			
Distribution of this document is unlim	Stad		
II. SUPPLEMENT/RY NOTES	12. SPONSORING MIL	STARY ACTI	VITY
			Projects Agency
	1		ects Office, OCRD
13. ABSTRACT	<u> </u>		

This report contains detailed microclimatic data for September 1966 from specific sites in the Panama Canal Zone and vicinity. The data are presented in tabular form, summarized for hourly and/or daily observations from surface to 46-meter levels. Elements listed are: temperature, pressure, precipitation, wind speed and direction, relative humidity, and evaporation.

DD 5084 1473

UNCLASSIFIED

Security Classification

KEY WORDS	LIN	K'A	Lin	KR	LIN	K C
KET WANDS	MOLE	WT	ROLE	WT	HOLE	WT
Climate Microclimatology Propic Environment Humid Tropics Panema Canal Mone Microclimatology Oata Base						

- ORIGINATING ACTIVITY: Enter the name and address of the contractor, unbornanter, grantee, Department of Defense activity or other organization (corporate author) insuling the report.
- 2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the Aport. Indicate whether "Restricted Data" is included. Marking in to be in accordsuce with appropriate security regulations.
- 2h. GEOUP: Automatic downgrading is specified in DoD Directive \$200.10 and Armed Ferces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.
- 3. REPORT TITLE: Enter the complete report title in sil capital letters. Titles in all cases should be unclassified. If a meaningful title careot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: if appropriate, enter the type of report, e.g., interim, progress, summery, annual, or final. Give the inclusive dates when a specific reporting period is
- AUTHOR(8): Enter the name(n) of author(n) as shown on or in the report. Enter last name, first name, middle initial. If military, show rask and breach of service. The name of the principal author is an absolute minimum requirement.
- REPORT DATE: Enter the date of the report six day, menth, year, or month, year. If more then one data appears on the report, use date of publication.
- 75. NUMBER OF REFERENCES. Enter the total number of references cited in the report.
- So. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable sumber of the contract or great under which the report was written.
- 8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, task number, etc.
- 9a. OKEGINATOR'S REPORT NUMBER(S): Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.
- 9b. OTHER REPORT NUMBER(S): If the report has been assigned any other report numbers (sither by the originator or by the sponeor), also miser this number(s).

- 10. AVAILABILITY/LIMITATION NOTICES: Enter any limitations on further dissemination of the report, other than those imposed by security classification, using standard statements such as:
 - "Qualified requesters may obtain copies of this report from DDC."
 - (2) "Foreign assouncement and dissemination of this report by DDC is not sutherized."
 - (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
 - (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through
 - (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the reprit has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if knows

- 11. SUPPLEMENTARY MOTES: Use for additional explanatory sotes.
- 12. SPONSORING MILLTARY ACTIVITY: Enter the name of the departmental project office or laboratory sponsoring (paying for) the research and development. Include address.
- 13. ABSTRACT: Enter an obstract giving a brief and factual numbers of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheef shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (75), (5), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. KEY WORDS: Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Idenfiers, such as equipment model designation, trade name, mititary project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, rules, and weights is optional.